HEARING RESEARCH

Vol. 56, No. 1/2 November 1991

CONTENTS

M. Müller (F.R.G.)
Developmental changes of frequency representation in the rat cochlea 1

W.A. Yost (U.S.A.)
Auditory image perception and analysis: The basis for hearing 8

J.P. Ding, R.J. Salvi and F. Sachs (U.S.A.)
Stretch-activated ion channels in guinea pig outer hair cells 19

A.N. Salt, K. Ohyama and R. Thalmann (U.S.A., Japan)
Radial communication between the perilymphatic scalae of the cochlea. I: Estimation by tracer perfusion 29

A.N. Salt, K. Ohyama and R. Thalmann (U.S.A., Japan)
Radial communication between the perilymphatic scalae of the cochlea. II: Estimation by bolus injection of tracer into the sealed cochlea 37

G.P. Jacobson, B.K. Ahmad, J. Moran, C.W. Newman, N. Tepley and J. Wharton (U.S.A.)
Auditory evoked cortical magnetic field (M100–M200) measurements in tinnitus and normal groups 44

S.S. Spicer and B.A. Schulte (U.S.A.)
Differentiation of inner ear fibrocytes according to their ion transport related activity 53

M. Subramaniam, P. Campo and D. Henderson (U.S.A., France)
Development of resistance to hearing loss from high frequency noise 65

P.S. Guth, A. Aubert, A.J. Ricci and C.H. Norris (U.S.A.)
Differential modulation of spontaneous and evoked neurotransmitter release from hair cells: some novel hypotheses 69

R.F. Huffman and O.W. Henson, Jr. (U.S.A.)
Cochlear and CNS tonotopy: Normal physiological shifts in the mustached bat 79

A.M. Meyer zum Gottesberge, M. Gagelmann and W.G. Forssmann (F.R.G.)
Atrial natriuretic peptide-like immunoreactive cells in the guinea pig inner ear 86

T. Vossieck, L. Schermuly and R. Klinke (F.R.G.)
The influence of DC-polarization of the endocochlear potential on single fibre activity in the pigeon cochlear nerve 93

R.P. Bobbin, M. Fallon and S.G. Kujawa (U.S.A.)
Magnitude of the negative summating potential varies with perilymph calcium levels 101

K. Ohyama, H. Wada, T. Kobayashi and T. Takasaka (Japan)
Spontaneous otoacoustic emissions in the guinea pig 111

M.M. Henson and O.W. Henson, Jr. (U.S.A.)
Specializations for sharp tuning in the mustached bat: The tectorial membrane and spiral limbus 122

(continued on page 294 of text)

Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update

Printed in The Netherlands

HEARING RESEARCH

Vol. 56, No. 1/2 November 1991

CONTENTS

M. Müller (F.R.G.)
Developmental changes of frequency representation in the rat cochlea 1

W.A. Yost (U.S.A.)
Auditory image perception and analysis: The basis for hearing 8

J.P. Ding, R.J. Salvi and F. Sachs (U.S.A.)
Stretch-activated ion channels in guinea pig outer hair cells 19

A.N. Salt, K. Ohyama and R. Thalmann (U.S.A., Japan)
Radial communication between the perilymphatic scalae of the cochlea. I: Estimation by tracer perfusion 29

A.N. Salt, K. Ohyama and R. Thalmann (U.S.A., Japan)
Radial communication between the perilymphatic scalae of the cochlea. II: Estimation by bolus injection of tracer into the sealed cochlea 37

G.P. Jacobson, B.K. Ahmad, J. Moran, C.W. Newman, N. Tepley and J. Wharton (U.S.A.)
Auditory evoked cortical magnetic field (M100–M200) measurements in tinnitus and normal groups 44

S.S. Spicer and B.A. Schulte (U.S.A.)
Differentiation of inner ear fibrocytes according to their ion transport related activity 53

M. Subramaniam, P. Campo and D. Henderson (U.S.A., France)
Development of resistance to hearing loss from high frequency noise 65

P.S. Guth, A. Aubert, A.J. Ricci and C.H. Norris (U.S.A.)
Differential modulation of spontaneous and evoked neurotransmitter release from hair cells: some novel hypotheses 69

R.F. Huffman and O.W. Henson, Jr. (U.S.A.)
Cochlear and CNS tonotopy: Normal physiological shifts in the mustached bat 79

A.M. Meyer zum Gottesberge, M. Gagelmann and W.G. Forssmann (F.R.G.)
Atrial natriuretic peptide-like immunoreactive cells in the guinea pig inner ear 86

T. Vossieck, L. Schermuly and R. Klinke (F.R.G.)
The influence of DC-polarization of the endocochlear potential on single fibre activity in the pigeon cochlear nerve 93

R.P. Bobbin, M. Fallon and S.G. Kujawa (U.S.A.)
Magnitude of the negative summating potential varies with perilymph calcium levels 101

K. Ohyama, H. Wada, T. Kobayashi and T. Takasaka (Japan)
Spontaneous otoacoustic emissions in the guinea pig 111

M.M. Henson and O.W. Henson, Jr. (U.S.A.)
Specializations for sharp tuning in the mustached bat: The tectorial membrane and spiral limbus 122

(continued on page 294 of text)

Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update

Printed in The Netherlands

(Contents continued)

J.-I. Matsushima, R.K. Shepherd, H.L. Seldon, S.-A. Xu and G.M. Clark (Japan, Australia)
Electrical stimulation of the auditory nerve in deaf kittens: Effects on cochlear nucleus morphology 133

T. Saito, R. Moataz and D. Dulon (France)
Cisplatin blocks depolarization-induced calcium entry in isolated cochlear outer hair cells 143

A.F. Ryan, A.G. Watts and D.M. Simmons (U.S.A.)
Preservation of mRNA during in situ hybridization in the cochlea 148

J.J. Eggermont (Canada)
Rate and synchronization measures of periodicity coding in cat primary auditory cortex 153

M. Sakagami, K. Fukazawa, T. Matsunaga, H. Fujita, T. Takumi, H. Ohkubo and S. Nakanishi (Japan)
Cellular localization of rat I_{sk} protein in the stria vascularis by immunohistochemical observation 168

G. Shone, R.A. Altschuler, J.M. Miller and A.L. Nuttall (U.S.A.)
The effect of noise exposure on the aging ear 173

E.M. Rouiller and E. Welker (Switzerland)
Morphology of corticothalamic terminals arising from the auditory cortex of the rat: A Phaseolus vulgaris-leucoagglutinin (PHA-L) tracing study 179

M. Müller, H. Ott and V. Bruns (F.R.G.)
Frequency representation and spiral ganglion cell density in the cochlea of the gerbil *Pachyuromys duprasi* 191

K.R. Henry (U.S.A.)
Frequency-specific enhancement of the cochlear compound action potential: Influence of the forward masker 197

W.R. Lippe, E.W. Westbrook and B.M. Ryals (U.S.A.)
Hair cell regeneration in the chicken cochlea following aminoglycoside toxicity 203

G.A. Manley, C. Haeseler and J. Brix (F.R.G.)
Innervation patterns and spontaneous activity of afferent fibres to the lagenar macula and apical basilar papilla of the chick's cochlea 211

G. Runhaar, J. Schedler and G.A. Manley (F.R.G.)
The potassium concentration in the cochlear fluids of the embryonic and post-hatching chick 227

K.R. Henry (U.S.A.)
Enhancement of the cochlear nerve compound action potential: Sharply defined frequency-intensity domains bordering the tuning curve 239

R.L. Snyder, S.J. Rebscher, P.A. Leake, K. Kelly and K. Cao (U.S.A.)
Chronic intracochlear electrical stimulation in the neonatally deafened cat. II: temporal properties of neurons in the inferior colliculus 246

M. Hatch, M. Tsai, M.J. LaRouere, A.L. Nuttall and J.M. Miller (U.S.A.)
The effects of carbogen, carbon dioxide, and oxygen on noise-induced hearing loss 265

J.B. Kelly, S.L. Glenn and C.J. Beaver (Canada)
Sound frequency and binaural response properties of single neurons in rat inferior colliculus 273

Short Communication
T.A. Littman, R.P. Bobbin and J.K. Cullen Jr. (U.S.A.)
Histochemical evidence that cochlear efferents are carried with the inferior vestibular nerve in guinea pigs 281

Author Index 287

Subject Index 289